



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO



BUILDING KIT

MINI series door-entry phone for Simplebus system with electronic call, key button and additional button for extra services (switchboard call, actuator, generic uses). Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Allows floor door call management. Complete with 8-position dip-switch for selection of the desired user code. Dimensions: 105x191x28 mm

AWARDS

DESIGN
MILANO



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO

MAIN FEATURES

Audio system	Yes
Wall-mounted	Yes
Desk base-mounted	Yes
Colour	White
Total buttons (n°)	2

FUNCTIONS

Actuator control function	Yes
Switchboard call function	Yes
Privacy function	Yes
Floor door call function	Yes
Electronic bell	Yes
Key button function	Yes

SETTINGS

Loudspeaker volume control	Yes
Ringtone volume control	Yes

GENERAL DATA

Height (mm)	190.00
Width (mm)	103.00
Depth (mm)	30.00

COMPATIBILITY

Simplebus 1 audio system	Yes
--------------------------	-----

TECHNICAL CHARACTERISTICS

Power supply voltage (VDC)	20 ÷ 28
----------------------------	---------



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO

TECHNICAL CHARACTERISTICS

Absorption during call (mA)	23.00
Absorption during communication (mA)	22.00
Microphone	9.6 (∅) x 6.9mm, omnidirectional
Loudspeaker	0.50mm, 0.5W
Operating temperature (°C)	-5 ÷ 40
Weight (g)	260.00
Clamps	L L CFP CFP



2708W

2-BUTTON MINI DOOR-ENTRY PHONE, SIMPLEBUS AUDIO

ACCESSORIES



2742W **DESK BASE FOR MINI DOOR-ENTRY PHONE WITH HANDSET**

Desk base for desktop conversion of MINI series door-entry phones.
Complete with 1.5 m cable and connection coupling.