



---

**IPNVR008S05PA**

---



---

Stand-alone NVR with 9 IP inputs 5MP (8 PoE), ONVIF 2.4 compatible.



**IPNVR008S05PA**

**MAIN FEATURES**

Video inputs	9 (5MP, 8PoE)
Main video output	1 (HDMI), 1 (VGA), 1920x1080@60Hz
Video compression	H.264 / H.264+ / H.265 / H.265+ (64÷15000 kbps)
Playback / recording frame rate	9 (5MP / 4MP / 3MP / FULL-HD / HD) @25fps
HDD supplied size	1TB (8TB max)

**SOFTWARE/FIRMWARE SPECIFICATIONS**

Operating system	Linux embedded
Recording methods	Auto, manual, scheduled, motion
Recording type	Dual streaming
Maximum number of channels being played simultaneously	1 (5MP / 4MP@30fps), 2 (3MP@30fps), 4 (FULL-HD / HD@30fps)
Protocols supported	Comelit DNS, DDNS, DHCP, FTP, HTTP, NTP, ONVIF 2.4, P2P, PPPoE, RTSP, SMTP, TCP/IP, UPnP, RTP, RTCP
IP assignment	Manual, DHCP
Encrypted transmission	SSL
Max bandwidth (Mbps)	60
Remote control via browser	Internet Explorer
Remote control by software	Comelit Smart CMS
Remote control by mobile	app Comelit View Smart (Android, iOS)
Users connected at the same time	3
Main functions	Watermarking, Digital zoom, Instant playback function

**FUNCTIONS**

Motion detection (zones)	396
Privacy zones (n°)	3
Loss of video signal	Yes



**IPNVR008S05PA**

**FUNCTIONS**

System log	Yes
E-mail notification	Yes
Pre-event recording	5 ÷ 30 seconds

**HARDWARE SPECIFICATIONS**

Type of connections/ports	1xEthernet 10/100 Mbit/s, 2xUSB 2.0, 8xEthernet 10/100 Mbit/s PoE (IEEE 802.3af, 100W max)
---------------------------	--

**GENERAL DATA**

Max absorption (W)	65
Supply voltage (VAC)	100 ÷ 240, 50 ÷ 60Hz
Height (mm)	43.00
Width (mm)	215.00
Depth (mm)	260.00
Weight (g)	2500.00
Type of finish	Metallic
Colour	Black
Operating temperature (°C)	-10 ÷ 55
RH max operating humidity (%)	90
Supplied accessories	Power supply, Mouse
System backup	USB 2.0